

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	IS& R	1	("6689211").PN.	USPAT	2004/08/1 1 09:27		
2	IS& R	3	((("6649492") or ("6649322") or ("6515335")).PN.	USPAT	2004/08/0 6 16:38		
3	IS& R	1	("6649332").PN.	USPAT	2004/08/0 6 16:35		
4	BRS	7923	cheng.IN.	USPAT	2004/08/0 6 16:36		
5	BRS	10	cheng.IN. and SiGe	USPAT	2004/08/0 6 16:36		
6	BRS	28	fitzgerald.IN. and SiGe	USPAT	2004/08/0 6 17:13		
7	BRS	417	relaxed with ((silicon and germanium) or SiGe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/0 6 17:14		
8	BRS	261	(relaxed with ((silicon and germanium) or SiGe)) and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/0 6 17:14		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
9	BRS	168	MOSFET and (strain\$3 with ((silicon adj germanium) or Si-Ge or Si/Ge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 1 09:28		
10	BRS	81	(MOSFET and (strain\$3 with ((silicon adj germanium) or Si-Ge or Si/Ge))) and grad\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 1 10:04		
11	IS& R	7	((("6649492") or ("6649480") or ("6583015") or ("6573126") or ("6515335") or ("5859864") or ("5821577"))).PN.	USPAT	2004/08/1 1 10:43		
12	BRS	208	438/933.ccls.	USPAT; US-PGPUB	2004/08/1 1 12:21		
13	BRS	262	257/191.ccls.	USPAT; US-PGPUB	2004/08/1 1 12:28		
14	BRS	2025	257/190,191,192,194,613,616.ccls. or 438/933.ccls.	USPAT; US-PGPUB	2004/08/1 1 12:57		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	4643	257/190,191,192,194,613,616.ccls. or 438/285,478,479,483,492,493,503,507,761,763,933.ccls.	USPAT; US-PGPUB	2004/08/11 12:58		
16	BRS	1487	(257/190,191,192,194,613,616.ccls. or 438/285,478,479,483,492,493,503,507,761,763,933.ccls.) and (silicon or Si) and (germanium or Ge)	USPAT; US-PGPUB	2004/08/11 12:58		
17	BRS	609	((257/190,191,192,194,613,616.ccls. or 438/285,478,479,483,492,493,503,507,761,763,933.ccls.) and (silicon or Si) and (germanium or Ge)) and (Si near3 Ge)	USPAT; US-PGPUB	2004/08/11 12:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
18	BRS	455	((((257/190,191,192,194,613,616.ccls. or 438/285,478,479,483,492,493,503,507,761,763,933.ccls.) and (silicon or Si) and (germanium or Ge)) and (Si near3 Ge)) and (strain\$3 or grad\$3 or buffer\$3 or relax\$3))	USPAT; US-PGPUB	2004/08/11 13:00		
19	BRS	394	((((257/190,191,192,194,613,616.ccls. or 438/285,478,479,483,492,493,503,507,761,763,933.ccls.) and (silicon or Si) and (germanium or Ge)) and (Si near3 Ge)) and (strain\$3 or grad\$3 or buffer\$3 or relax\$3)) and (concentration or composition)	USPAT; US-PGPUB	2004/08/11 13:00		